

# 目录

## 机械类Mechanical

拉动计数器	
J114/JL056	-----01
JL085/JL645	-----02
JL056B/JL545	-----03
TJL745	-----04
按动计数器	
JQ014	-----04
转动计数器	
J250/J116	-----05
JZ095/JZ067	-----06
J115/TJZ745/JZ565	-----07
测长计数器	
JC075/JC175/JC105	-----08
JC106/TJC085/TJC086	-----09

## 电磁类Electromagnetic

电磁计数器	
DL013/875	-----10
876/877	-----11
404/408/422	-----12
JD6-III A	-----13
计时器	
891	-----13
TH087	-----14
电磁多功能计数器	
ZDL/ZDS	-----14

## 电子类Electronic

电子计数器	
S3J/EA108/EA308	-----15
710A/711A/TEA205N/TEA206N	-----16
TEF214N/TEM226NR/TEF210N	-----17
721/731/732	-----18
电子计时器	
H3J/C308	-----19
多功能计数器	
HC308	-----19
BH6/TLJ214N/TTM226N	-----20

## 传感器类Sensor

增量型旋转编码器	
R141/R158/IC系列/ID系列	-----21
接近开关	
KJGY	-----22
联轴器	-----22

服务客户

**卓越的品质      一流的服务**



## 拉动计数器

The Pulling Counter

拉动计数器用于累加记录仪器或机械往返运动的次数。将计数器的输入轴拉动臂与仪器或机器联接，即可进行拉动计数。数字直读显示，拐臂安装位置、拉动方向多种选择，并有转动回零装置。回零后，仍可以从零开始作累加计数。本类产品主要用于纺织、机械、开关、矿山等行业。

The Pulling Counter is used to count accumulative times of the stroke movements of machinery or instruments. The pulling counting can be carried out so long as the pulling arm of the input axis of the counter is connected to instruments or machines. Direct reading of the digit indication, With multiple options for fixing position and pulling direction of the lever arm, with rotation reset. Accumulative counting can be started from zero again after reset. The type counter is mainly applied in textile, machinery, switch and mines etc.

### J114型系列五位拉动计数器

J114 5-digit Mechanical Pulling Counter

#### 特点

characteristics



1. 五位累加计数，数字直读显示  
Five digits for accumulative counting and displaying directly
2. 设有回零装置，可重复归零计数  
With reset mechanism available for repeated counting
3. 拉动角度 $38^{\circ}\sim 43^{\circ}$ 、计数速度 $\leq 500$ 次/分  
Pulling Angle  $38^{\circ}\sim 43^{\circ}$  counting speed  $< 500$ times/min
4. 外形尺寸为 $79.8\text{ mm} \times 32\text{ mm} \times 46\text{ mm}$   
External dimension is  $79.8\text{ mm} \times 32\text{ mm} \times 46\text{ mm}$
5. 安装尺寸因型号不同而异  
Fixing dimension may vary according to different models
6. 拐臂安装位置、拉动方向多种选择  
With multiple options for fixing position and pulling direction
7. 可根据客户特殊需要设计制作  
Customized designs available as per clients' requirements

#### 主要产品型号



J114



J114A



J114Z



J114C

### JL056B型六位拉动计数器

JL056B 6-digit Pulling Counter

#### 特点

characteristics



1. 六位累加计数  
Six digits for accumulative counting
2. 设有回零装置，可重复归零计数  
With reset mechanism available for repeated counting
3. 拉动角度 $38^{\circ}\sim 43^{\circ}$ 、计数速度 $\leq 500$ 次/分  
Pulling Angle  $38^{\circ}\sim 43^{\circ}$  counting speed  $< 500$ times/min
4. 外形尺寸为 $79.8\text{ mm} \times 32\text{ mm} \times 46\text{ mm}$   
External dimension is  $79.8\text{ mm} \times 32\text{ mm} \times 46\text{ mm}$
5. 安装尺寸因型号不同而异  
Fixing dimension may vary according to different models
6. 拐臂安装位置、拉动方向多种选择  
With multiple options for fixing position and pulling direction
7. 可根据客户特殊需要设计制作  
Customized designs available as per clients' requirements

**JL085型系列五位拉动计数器**

JL085 5-digit Pulling Counter

**特点**

characteristics



- 五位累加计数**  
Five digits for accumulative counting
- 不可复位归零**  
No reset mechanism
- 拉动角度 $37^{\circ}\sim 41^{\circ}$ 、计数速度 $\leq 300$ 次/分**  
Pulling Angle  $37^{\circ}\sim 41^{\circ}$  counting speed  $\leq 300$ times/min
- 外形尺寸为 $43\text{mm} \times 20.8\text{mm} \times 34.3\text{mm}$**   
External dimension is  $43\text{mm} \times 20.8\text{mm} \times 34.3\text{mm}$
- 安装尺寸因型号不同而异**  
Fixing dimension may vary according to different models
- 拐臂安装位置、拉动方向多种选择**  
With multiple options for fixing position and pulling direction
- 可根据客户特殊需要设计制作**  
Customized designs available as per clients' requirements

**主要产品型号**


JL085ZB-B



JL085-A



JL085M-C



JL085ZB

**JL645型系列拉动机械计数器**

JL645 Pulling Mechanical Counter

**特点**

characteristics



- 五位累加计数**  
Five digits for accumulative counting
- 不可复位归零**  
No reset mechanism
- 拉动角度 $37^{\circ}\sim 49^{\circ}$ 、计数速度 $\leq 300$ 次/分**  
Pulling Angle  $37^{\circ}\sim 49^{\circ}$  counting speed  $\leq 300$ times/min
- 外形尺寸为 $31\text{mm} \times 21\text{mm} \times 32\text{mm}$**   
External dimension is  $31\text{mm} \times 21\text{mm} \times 32\text{mm}$
- 安装尺寸因型号不同而异**  
Fixing dimension may vary according to different models
- 拐臂安装位置、拉动方向多种选择**  
With multiple options for fixing position and pulling direction
- 可根据客户特殊需要设计制作**  
Customized designs available as per clients' requirements

**主要产品型号**


JL645B



JL645M



JL645ZB



JL645M-A



**JL055B型五位拉动计数器**  
 JL055B 5-digit Pulling Counter

**特点**  
 characteristics


- 五位累加计数**  
Five digits for accumulative counting
- 可提供回零与不回零两种模式**  
Two modes: with reset mechanism and without reset mechanism
- 拉动角度 $37^{\circ}\sim 41^{\circ}$ 、计数速度 $\leq 250$ 次/分**  
Pulling Angle  $37^{\circ}\sim 41^{\circ}$  counting speed  $\leq 250$ times/min
- 外形尺寸为 $60.5\text{ mm} \times 34.9\text{ mm} \times 41.8\text{ mm}$**   
External dimension is  $60.5\text{ mm} \times 34.9\text{ mm} \times 41.8\text{ mm}$
- 安装尺寸因型号不同而异**  
Fixing dimension may vary according to different models
- 拐臂安装位置、拉动方向多种选择**  
With multiple options for fixing position and pulling direction
- 可根据客户特殊需要设计制作**  
Customized designs available as per clients' requirements

**主要产品型号**

**JL055B**

**JL055B-A**

**JL055B-A-I**

**JL055ZM**
**JL545系列拉动机械计数器**  
 JL545 Series pulling mechanical counter

**特点**  
 characteristics


- 五位累加计数**  
Five digits for accumulative counting
- 不可复位归零**  
No reset mechanism
- 拉动角度 $38^{\circ}\sim 41^{\circ}$ 、计数速度 $\leq 300$ 次/分**  
Pulling Angle  $38^{\circ}\sim 41^{\circ}$  counting speed  $\leq 300$ times/min
- 外形尺寸为 $48\text{ mm} \times 22.5\text{ mm} \times 41\text{ mm}$**   
External dimension is  $48\text{ mm} \times 22.5\text{ mm} \times 41\text{ mm}$
- 安装尺寸因型号不同而异**  
Fixing dimension may vary according to different models
- 拐臂安装位置、拉动方向多种选择**  
With multiple options for fixing position and pulling direction
- 可根据客户特殊需要设计制作**  
Customized designs available as per clients' requirements


**JL545B**

**JL545ZB**

**JL545M**

TJL745型系列五位拉动计数器  
TJL745 5-digit Mechanical Pulling Counter

## 特点

characteristic



1. 五位累加计数  
Five digits for accumulative counting
2. 设有回零装置  
With reset mechanism available for repeated counting
3. 计数速度 $\leq 500$ 次/分  
Counting speed $\leq 500$ times/min
4. 外形尺寸为 $162\text{mm} \times 72\text{mm} \times 65\text{mm}$   
External dimension is  $162\text{mm} \times 72\text{mm} \times 65\text{mm}$
5. 安装尺寸因型号不同而异  
Fixing dimension may vary according to different models
6. 拐臂安装位置、拉动方向多种选择  
With multiple options for fixing position and pulling direction
7. 可根据客户特殊需要设计制作  
Customized designs available as per clients' requirements

## 按动计数器

The Thumb-operated counter

按动计数器用于测量数据的累加计数，按动一次数据累加“1”。设有回零装置。回零后，仍可以从“0”开始作累加计数。可用于医疗、纺织、机械、仓库和码头的货运、行人及车辆过往的数量计数。

The Thumb-operated counter is used to record the accumulative counts. Once pressed, it will count one. It has the reset mechanism. After reset to zero, it can be still work again from the start. It is applied in the number counting of medical, textile, machines, the passenger & vehicle numbers warehouse and ports.

JQ014系列四位按动计数器  
JQ014 Series 4-digits Thumb-operated Counter

## 特点

characteristic



1. 四位累加计数  
Four digits for accumulative counting
2. 设有回零装置，可重复归零计数  
With reset mechanism available for repeated counting
3. 计数速度 $\leq 200$ 次/分  
Counting speed $\leq 200$ times/min
4. 外形尺寸为 $56\text{mm} \times 32.6\text{mm} \times 52.5\text{mm}$   
External dimension is  $56\text{mm} \times 32.6\text{mm} \times 52.5\text{mm}$
5. 安装尺寸因型号不同而异  
Fixing dimension may vary according to different models
6. 可根据客户特殊需要设计制作  
Customized designs available as per clients' requirements

## 主要产品型号



JQ014



JQ014B



JQ014C



TJQ014



## 转动计数器

The Rotation Counter

转动计数器是通过主动轴与设备连接驱动计数，主动轴转动一周，计数值根据传动比进行计数。可测量各种机械的转数及测量长度、深度、流量等，广泛适用于机械、印刷、纺织、通讯、轻工等行业。

The rotation counter works with a shaft connected to other equipment. The connected equipment rotates a circle to drive the counting according to the transmission ratio. It is used to measure the rotation, length, depth, flow of various machines, widely applied in machinery, printing, textile, communication, light industry etc.

### J250型系列五位机械计数器

J250 Series Rotation Mechanical Counter

#### 特点

characteristic



1. 可预置计数、可复位  
With preset and reset mechanism
2. 最高转速可达3000r/min  
Max rotation speed 3000r/min
3. 多种传动比 1:1 1:10 1:5 1.6:1 5:1  
Transmission ratio 1:1 1:10 1:5 1.6:1 5:1
4. 外形尺寸174mm×74.2mm×69.2mm  
External dimension(L×W×H) 174mm×74.2mm×69.2mm
5. 安装尺寸可调  
Fixing dimension can be adjusted
6. 可根据客户要求设计制作  
Customized designs available as per clients' requirements

#### 主要产品型号



J250 001



J250 002



J250 011



J250 011D

### J116型系列六位机械计数器

J116 Series Mechanical Counter

#### 特点

characteristic




1. 六位累加计数可复位  
Six-digit with reset mechanism
2. 最高转速可达1000r/min  
Max rotation speed 1000r/min
3. 多种传动比 1:1 1:2 1:5 1:10  
Transmission ratio 1:1 1:2 1:5 1:10
4. 外形尺寸100mm×43mm×45.3mm  
External dimension(L×W×H) 100mm×43mm×45.3mm
5. 安装尺寸68mm  
Fixing dimensions 68mm
6. 可根据客户特殊需要设计制作  
Customized designs available as per clients' requirements

## JZ095系列五位转动机械计数器

JZ095 series rotation mechanical counter

## 特点

characteristic



- 五位累加计数可复位  
Five-digits with reset mechanism
- 最高转速可达1200r/min  
Max rotation speed 1200r/min
- 多种传动比 1:1 1:2 1:5 1:10  
Transmission ratio 1:1 1:2 1:5 1:10
- 外形尺寸181 mm × 57.4mm × 64 mm  
External dimension(L x W x H) 181 mm × 57.4mm × 64 mm
- 安装尺寸因型号不同而异  
Fixing dimension may vary according to different models
- 可根据客户特殊需要设计制作  
Customized designs available as per clients' requirements

## 主要产品型号



JZ095B-I



JZ095B-V




JZ095B-IV

## JZ067系列转动机械计数器

JZ067 series rotation mechanical counter

## 特点

characteristic



- 7位数字显示  
7-digits display
- 最高转速可达320r/min  
Max rotation speed 320r/min
- 传动比 2:1  
Transmission ratio 2:1
- 外形尺寸108mm × 35 mm × 47 mm  
External dimension(L x W x H) 108mm × 35 mm × 47 mm
- 安装尺寸12mm × 78 mm  
Fixing dimension 12mm × 78 mm
- 可根据客户特殊需要设计制作  
Customized designs available as per clients' requirements

## 主要产品型号



JZ067ZB-III A



JZ067B-III A



**J115型机械计数器**

J115 Mechanical Counter

**特点**

characteristic




1. 四组六位累加计数  
Four groups of accumulative counting
2. 最高转速可达1200r/min  
Max rotation speed 1200r/min
3. 传动比 12.5: 1  
Transmission ratio 12.5: 1
4. 外形尺寸102.5 mm × 74 mm × 126.5mm  
External dimension[L x W x H] 102.5 mm × 74 mm × 126.5mm
5. 不带回零装置  
Without reset mechanism
6. 可根据客户特殊需要设计制作  
Customized designs available as per clients' requirements

**TJZ745型系列五位机械转动计数器**

TJZ745 series rotation mechanical counter

**特点**

characteristic



1. 五位数字显示  
Five-digit display
2. 带有回零装置  
With reset mechanism
3. 最高转速可达500r/min  
Max rotation speed 500r/min
4. 多种传动比 1:10  
Transmission ratio 1:10
5. 外形尺寸162mm × 72mm × 65mm  
External dimension[L x W x H] 162mm × 72mm × 65mm
6. 可根据客户特殊需要设计制作  
Customized designs available as per clients' requirements

**JZ565型转动机械计数器**

JZ565 Rotation Mechanical Counter

**特点**

characteristic



1. 五位计数可复位  
5-digit with reset mechanism
2. 计数速度 ≤ 300次/分  
Counting speed < 300times/m
3. 传动比 1:1  
Transmission ratio 1:1
4. 可检测正反两种转速  
Measuring positive and negative rotating speed
5. 外形尺寸 100 mm × 30 mm × 32 mm  
External dimension[L x W x H] 100 mm × 30 mm × 32 mm
6. 可根据客户特殊需要设计制作  
Customized designs available as per clients' requirements



## 测长计数器

The Length-measuring Counter

测长计数器是通过传动轴与两个滚轮的定长来测量被测物的长度。滚轮转动1米，计数器显示1。计数器设有复位装置，可重复测量数据。主要应用于纺织、造纸、印染、薄膜等行业。

The Length-measuring Counter uses the fixed length of two rolling-wheels to measure the length of the measured object. When the rolling-wheel rolls one meter, the counter shows 1. The counter can reset for the next measuring-process. This counter is mainly applied in textile, paper-making, printing and film etc.

## JC075型测长机械计数器

JC075 Length-measuring Mechanical Counter

## 特点

characteristic



1. 设有回零装置  
With resettable mechanism
2. 最高转速可达500r/min  
Max rotation speed 500r/min
3. 测量距离(米)/显示数据 1:1  
Measuring distance (M) /Displaying data 1:1
4. 外形尺寸162mm×110mm×100 mm  
External dimension(L x W x H) 162mm×110mm×100 mm
5. 测量范围0-99999  
Measuring range 0-99999
6. 可根据客户需要设计制作  
Customized designs available as per clients' requirements

## JC175型测长机械计数器

JC175 Length-measuring Mechanical Counter

## 特点

characteristic



1. 设有回零装置  
With resettable mechanism
2. 最高转速可达500r/min  
Max rotation speed 500r/min
3. 测量距离(米)/显示数据 1:1  
Measuring distance (M) /Displaying data 1:1
4. 外形尺寸222mm×160mm×160mm  
External dimension(L x W x H) 222mm×160mm×160mm
5. 测量范围0-99999  
Measuring range 0-99999
6. 可根据客户需要设计制作  
Customized designs available as per clients' requirements

## JC105型测长机械计数器

JC105 Length-measuring Mechanical Counter

## 特点

characteristic



1. 设有回零装置  
With resettable mechanism
2. 最高转速可达200r/min  
Max rotation speed 200r/min
3. 测量距离(米)/显示数据 1:1  
Measuring distance (M) /Displaying data 1:1
4. 外形尺寸200mm×143.8mm×143.8 mm  
External dimension(L x W x H) 200mm×143.8mm×143.8 mm
5. 测量范围0-9999.99  
Measuring range 0-9999.99
6. 可根据客户特殊需要设计制作  
Customized designs available as per clients' requirements

**JC106型测长机械计数器**

JC106 Length-measuring Mechanical Counter


**特点**

characteristic

1. 设有回零装置  
With resettable mechanism
2. 最高转速可达400r/min  
Max rotation speed 400r/min
3. 测量距离(米)/显示数据 1:1  
Measuring distance (M) /Displaying data 1:1
4. 外形尺寸500mm×201mm×78mm  
External dimension(L x W x H) 500mm×201mm×78mm
5. 测量范围0-99999  
Measuring range 0-99999
6. 可根据客户要求设计制作  
Customized designs available as per clients' requirements

**TJC085型测长机械计数器**

TJC085 Length-measuring Mechanical Counter


**特点**

characteristic

1. 设有回零装置  
With resettable mechanism
2. 最高转速可达200r/min  
Max rotation speed 200r/min
3. 测量距离(米)/显示数据 1:1  
Measuring distance (M) /Displaying data 1:1
4. 外形尺寸155mm×106mm×106mm  
External dimension(L x W x H) 155mm×106mm×106mm
5. 测量范围0-9999.9  
Measuring range 0-9999.9
6. 可根据客户要求设计制作  
Customized designs available as per clients' requirements

**TJC086型测长机械计数器**

TJC086 Length-measuring Mechanical Counter


**特点**

characteristic

1. 设有回零装置  
With resettable mechanism
2. 最高转速可达200r/min  
Max rotation speed 200r/min
3. 测量距离(米)/显示数据 1:1  
Measuring distance (M) /Displaying data 1:1
4. 外形尺寸170mm×105mm×105mm  
External dimension(L x W x H) 170mm×105mm×105mm
5. 测量范围0-99999.9  
Measuring range 0-99999.9
6. 可根据客户特殊需要设计制作  
Customized designs available as per clients' requirements



## 电磁计数器

The Electromagnetic Counter

电磁计数器是用于记录电信号次数的累加，广泛用于石油、化工、纺织、机械、矿山、印刷等行业的各种电脉冲计数。

The Electromagnetic Counter is used to record the accumulative times of electrical signals, It is widely applied in the industries such as petroleum, chemical, textile, machinery, mining, printing etc.

### DL013型三位电磁计数器

DL013 Electromagnetic Counter

#### 特点

characteristics



1. 三位显示, 4.8 mm × 3.7 mm  
3-digit display, H × W 4.8 mm × 3.7 mm
2. 不带复位装置  
Without reset mechanism
3. 电压范围(±10) DC:12V~220V  
Operation voltage(±10) DC:12V~220V
4. 计数速度 ≤ 10次/秒  
Counting speed ≤ 10times/sec
5. 开口尺寸 39mm × 27.5mm  
Opening size(B×H) 39mm × 27.5mm
6. 可根据客户特殊需要设计制作  
Customized designs available as per clients' requirements

### 875系列电磁计数器

875 Electromagnetic Counter

#### 特点

characteristics



1. 五位显示, 4 mm × 1.9 mm  
5-digit display, H × W 4 mm × 1.9 mm
2. 带复位装置  
With reset mechanism
3. 电压范围: DC:3V~220V, AC:24~240V  
Operation voltage DC:3V~220V, AC:24~240V
4. 计数速度 AC ≤ 10次/秒, DC ≤ 20次/秒  
Counting speed AC ≤ 10times/sec, DC ≤ 20times/sec
5. 开口尺寸 39mm × 27.5mm  
Opening size(B×H) 39mm × 27.5mm
6. 可根据客户特殊需要设计制作  
Customized designs available as per clients' requirements

#### 主要产品型号



875



875A



875B



875C

**876系列电磁计数器**

876 Electromagnetic counter

**特点**

characteristics



1. 六位或五位显示, 4mm × 1.8mm  
5 or 6-digit display, H × W 4mm × 1.8mm
2. 不带复位装置  
Without reset mechanism
3. 电压范围: DC:5V-220V, AC:24-240V  
Operation voltage DC:5V-220V, AC:24-240V
4. 计数速度 AC ≤ 10次/秒, DC ≤ 20次/秒  
Counting speed AC < 10times/sec, DC < 20times/sec
5. 开口尺寸 39mm × 27.5mm  
Opening size(B × H) 39mm × 27.5mm
6. 可根据客户特殊需要设计制作  
Customized designs available as per clients' requirements

 876-II A的技术参数不同处:

1. 计数速度 AC ≤ 5次/秒, DC ≤ 10次/秒  
Counting speed AC < 5times/sec, DC < 10times/sec
2. 开口尺寸 40.7mm × 25mm  
Opening size(B × H) 40.7mm × 25mm

**主要产品型号**

**876**

**876A**

**876B**

**876-II A**
**877系列电磁计数器**


877 Electromagnetic counter

**特点**

characteristics



1. 七位显示, 4 mm × 1.8 mm  
7-digit display, H × W 4 mm × 1.8 mm
2. 不带复位装置  
Without reset mechanism
3. 电压范围: DC:5V-220V, AC:24-240V  
Operation voltage DC:5V-220V, AC:24-240V
4. 计数速度 AC ≤ 10次/秒, DC ≤ 20次/秒  
Counting speed AC < 10times/sec, DC < 20times/sec
5. 开口尺寸 39mm × 27.5mm  
Opening size(B × H) 39mm × 27.5mm
6. 可根据客户特殊需要设计制作  
Customized designs available as per clients' requirements

 876-II A的技术参数不同处:

1. 计数速度 AC ≤ 5次/秒, DC ≤ 10次/秒  
Counting speed AC < 5times/sec, DC < 10times/sec
2. 开口尺寸 40.7mm × 25mm  
Opening size(B × H) 40.7mm × 25mm

**主要产品型号**

**877**

**877A**

**877C**

**877-II BB**



## 404系列电磁计数器

404 Electromagnetic Counter

### 特点

characteristic



1. 六位计数, 4 mm × 1.8 mm  
6-digit display H×W 4 mm × 1.8 mm
2. 电压范围 DC:12V-220V, AC24V-240V  
Operation voltage DC: 12V-220V, AC24V-240V
3. 面板、底部两种回零方式  
With pressing reset or pulling reset on the bottom
4. 计数速度 AC ≤ 10次/秒, DC ≤ 25次/秒  
Counting speed AC < 10times/sec, DC < 25times/sec
5. 开口尺寸 55mm × 29.5mm  
Opening size(BxH) 55mm × 29.5mm
6. 可根据客户特殊需要设计制作  
Customized designs available as per clients' requirements

### 主要产品型号



404



404A



404B



404C

## 408型八位电磁计数器

408 Electromagnetic Counter

### 特点

characteristic



1. 8位计数, 4 mm × 1.8 mm  
8-digit display H×W 4 mm × 1.8 mm
2. 电压范围 DC:12V-220V, AC24V-240V  
Operation voltage DC: 12V-220V, AC24V-240V
3. 面板、底部两种回零方式  
With pressing reset or pulling reset on the bottom
4. 计数速度 AC ≤ 10次/秒, DC ≤ 20次/秒  
Counting speed AC < 10times/sec, DC < 20times/sec
5. 开口尺寸 55mm × 29.5mm  
Opening size(BxH) 55mm × 29.5mm
6. 可根据客户特殊需要设计制作  
Customized designs available as per clients' requirements

## 422型六位电磁预置计数器

422 Electromagnetic Preset Counter

### 特点

characteristic



1. 六位计数器, 4 mm × 1.8 mm  
6-digiti display H×W 4 mm × 1.8 mm
2. 可进行预置数  
With the preset figures
3. 电压范围 DC:12V-220V, AC24V-240V  
Operation voltage DC: 12V-220V, AC24V-240V
4. 计数速度 AC ≤ 10次/秒, DC ≤ 25次/秒  
Counting speed AC < 10times/sec, DC < 25times/sec
5. 开口尺寸 55mm × 55mm  
Opening size(BxH) 55mm × 55mm
6. 可根据客户特殊需要设计制作  
Customized designs available as per clients' requirements

**JD6-III A型六位电磁计数器**  
 JD6-III A Electromagnetic Counter

**特点**

characteristic



1. 六位计数, 4 mm × 1.8 mm  
6-digit display H×W 4 mm×1.8 mm
2. 电压范围 DC:12V-220V, AC24V-240V  
Operation voltage DC:12V-220V, AC24V-240V
3. 有按动回零装置  
With pressing reset
4. 计数速度 AC ≤ 10次/秒, DC ≤ 20次/秒  
Counting speed AC < 10times/sec, DC < 20times/sec
5. 开口尺寸 51mm × 26mm  
Opening size(B×H) 51mm × 26mm
6. 可根据客户特殊需要设计制作  
Customized designs available as per clients' requirements

**计时器**  
 Timer


这类计时器是一种机械计时装置, 具有计时准确、计时时间长等特点。可提供多种电压型号供您选择使用。

This kind of timer is a mechanical timing devices with timing accurate and long timing etc. It can provide various voltage type for your choice to use.

**891型计时器**  
 891 series Timer

**特点**

characteristic



1. 七位数字显示 4mm × 1.8mm  
7 digits display H×W 4mm×1.8mm
2. 计时范围 0-99999.99h  
Timing range 0-99999.99h
3. 电压范围 DC:12V-36V, AC24V-380V  
Operation voltage DC:12V-36V, AC24V-380V
4. 计时时间可达11年  
Timing time can reach 11 years
5. 开口尺寸 45mm × 22.2mm  
Opening size(B×H) 45mm × 22.2mm
6. 可根据客户特殊需要设计制作  
Customized designs available as per clients' requirements

**主要产品型号**


891无面框



891方面框



891圆面框

TH087型交流计时器

TH 087 AC Timer



特点

characteristic

1. 七位数字显示  
7 digits display
2. 最小精度0.01小时  
Minimum precision 0.01 hours
3. 计时时间可达11年  
Timing time can reach 11 years
4. 工作电压(±10%): AC220V、AC110V  
Working voltage: AC220V、AC110V
5. 开口尺寸45.5mm×45.5mm  
Opening size(BxH) 45.5mm×45.5mm
6. 可根据客户特殊需要设计制作  
Customized designs available as per clients' requirements

电磁多功能计数器

Electromagnetic Multi-functional Counter



ZDL系列组合电流表计数器

ZDL Combined Counter



特点

characteristic

1. 3位数字规格4.8mm×3.7mm  
3-digit display 4.8mm×3.7mm
2. 可同时测量电流值和达到设定电流值的次数  
Record the counter and the number of the current comes up to a certain value
3. 主要用于电力行业  
Mainly used in electric power industry
4. 可根据用户的需要对计数器和电流的技术参数进行调整  
The technical data can be adjusted as per customer's requirements

ZDS系列组合式计时计数器

ZDS Combined Counter



特点

characteristic

1. 可同时计数计时  
Counting and timing
2. 计数范围: 0-999999  
Counting range: 0-999999
3. 计时范围: 0-99999.99h  
Timing range: 0-99999.99h
4. 不可回零, 计数准确  
Without reset device, Accurate data
5. 可根据客户要求设计制作  
Customized designs available as per clients' requirements



## 电子计数器

The Electromagnetic Counter

我公司拥有电子累加计数器、预置数计数器、多功能计数器各种规格型号计数器供客户选择，同时也可根据客户需要进行设计制作。

Our company has various specifications counter of electronic accumulate the counter, preset counter, multi-function counter for the customer to choose, We can also according to customer need to undertake design and production.

### S3J液晶计数器

S3J液晶计数器



#### 特点

characteristic

1. 六位LCD显示  
6-digit LCD display
2. 面板复位带锁定  
Panel reset and locked
3. 计数范围0-999999  
Counting range: 0-999999
4. 内置电源，使用方便  
Built-in power, convenient to use
5. 抗干扰性强  
Strong anti-interference

### EA108电子计数器

EA108 Electronic Counter



#### 特点

characteristic

1. 八位LCD液晶显示  
8-digit LCD display
2. 抗干扰性强  
Strong anti-interference
3. 计数范围 0-99999999  
Counting range: 0-99999999
4. 数据存储可达10年  
Data storing time can reach 3 years
5. 外接电源 DC12V-24V  
External power DC12V-24V

### EA308内置电池电子计数器

EA308内置电池电子计数器



#### 特点

characteristic

1. 八位LCD液晶显示  
8-digit LCD display
2. 抗干扰性强  
Strong anti-interference
3. 计数范围 0-99999999  
Counting range: 0-99999999
4. 静态功耗为 35  $\mu$ A  
Static power is 35 $\mu$ A
5. 内置3v电源，使用方便  
Built-in power 3v, convenient to use



710A型电子累加计数器

710A Electronic Accumulative Counter



特点

characteristics

1. 六位数码管显示  
6-digit LED display
2. 数据存储时间可达10年  
Data retaining as long as 10 years
3. 两种复位方式  
Two reset modes
4. 计数信号多样化, 计数频率高  
Multiple input signals. High frequency of counting
5. 抗干扰性强  
Strong anti-interference
6. 工作电压DC:12-24V,交流需特殊定制  
Working voltage: DC 12-24V, AC needs customization

711A型电子预选计数器

711A Presettable Electronic Counter



特点

characteristics

1. 六位LED显示  
6-digit LED display
2. 可预置计数  
Presettable for counting
3. 数据存储时间可达10年  
Data retaining as long as 10 years
4. 计数信号多样化, 计数频率高  
Multiple signal modes. High frequency of counting
5. 抗干扰性强  
Strong anti-interference
6. 工作电压: DC12-24V, AC85-265V  
Working voltage: DC12-24V AC85-265V

TEA205N电子累加计数器

TEA205N Electronic Accumulative Counter



特点

characteristics

1. 五位LED显示  
5-digit LED display
2. 抗干扰性强  
Strong anti-interference
3. 计数范围: 0-99999  
Counting range: 0-99999
4. 计数速度: 10次/秒,最高可达500次/秒  
Counting speed: 10times/sec, max can reach 500times/sec
5. 数据存储可达10年  
Data storing time can reach 10 years
6. 工作电压: AC:6.3V 12V 24V 48V 110V 220V DC: 6.3V 12V 24V  
Working voltage: AC:6.3V 12V 24V 48V 110V 220V DC: 6.3V 12V 24V

TEA206N电子累加计数器

TEA206N Electronic Accumulative Counter



特点

characteristics

1. 六位LED显示  
6-digit LED display
2. 抗干扰性强  
Strong anti-interference
3. 计数范围: 0-999999  
Counting range: 0-999999
4. 计数速度: 10次/秒,最高可达500次/秒  
Counting speed: 10times/sec, max can reach 500times/sec
5. 数据存储可达10年  
Data storing time can reach 10 years
6. 工作电压: AC:6.3V 12V 24V 48V 110V 220V DC: 6.3V 12V 24V  
Working voltage: AC:6.3V 12V 24V 48V 110V 220V DC: 6.3V 12V 24V

**TEF214N预置计数器**  
 TEF214N Presettable Counter

**主要产品型号**

**TEF214N**

**TEF214N-A**
**特点**

characteristic

1. 四位LED数字显示  
4-digit LED display
2. 抗干扰性强  
Strong anti-interference
3. 预置计数范围: 0-9999  
Presettable counting range: 0-9999
4. 计数速度: 25次/秒  
Counting speed: 25times/sec
5. 电压AC/DC: 100-240V, 交直流通用  
Voltage AC/DC: 100-240V, ac-dc general
6. 可根据客户需要设计制作  
Design and manufacture according to customer's needs

**TEM226NR系列计数器**  
 TEM226NR Series the meter counter

**特点**

characteristic

1. 六位LCD液晶显示  
6-digit LED display
2. 抗干扰能力强  
Strong anti-interference
3. 可预置计数  
With preset function
4. 计数范围: -99999~999999  
Counting range: -99999-999999
5. 计数速度: 15K PCS  
Counting speed: 15K PCS
6. 工作电压: AC/DC 100V-250V  
Working voltage: AC/DC 100V-250V

**TEF216N预置计数器**  
 TEF216N Presettable Counter

**特点**

characteristic

1. 四位或六位LED数字显示  
4 or 6-digit LED display
2. 抗干扰性强  
Strong anti-interference
3. 预置计数范围: 0-999999  
Presettable counting range: 0-999999
4. 计数速度: 30次/秒  
Counting speed: 30times/sec
5. 具有断电存储记忆功能  
With memory function
6. 工作电压: AC: 36V 127V 110V 220V DC: 24V  
Working voltage: AC: 36V 127V 110V 220V DC: 24V

721型双预置电子计数器

721 Double-Preset Electronic Counter



特点

characteristics

1. 五位LED显示  
5-digit LED display
2. 工作电压: DC:12V-24V AC: 165V-265V  
Working voltage: DC:12V-24V AC: 165V-265V
3. 多种编程方式  
Multiple programming modes
4. 可进行比率设置  
Ratio set available
5. 数据存储可达10年  
Data retaining as long as 10 years
6. 抗干扰性强  
Strong anti-interference

731型电子计数器

731 Electronic Counter



特点

characteristics

1. 8位液晶显示或6位LED显示  
8-digit LCD or 6-digit LED display
2. 供电方式: 锂电池或DC:12-24V  
Power: Lithium batteries or DC:12-24V
3. 抗干扰性强  
Strong anti-interference
4. 多达8种功能选择  
8 functions

01 脉冲计数器

03 定时器 (显示时:分,秒)

05 PLC用数字显示器 (串行)

07 带差动模式的计数器

02 转速表 (1/分钟)

04 定时器 (显示带小数部分的小时数)

06 双向位置指示器

08 维护计数器 (备索)

732型电子计数器

732 Electronic Counter



特点

characteristics

1. 高对比度6位LED或LCD显示  
High-contrast 6-digit LED or LCD display
2. 抗干扰性强  
Strong anti-interference
3. 有1或2个预置可供选择  
With one or two presets for option
4. 配备集成的单独累加器  
With integrated singular tanzilizer
5. 有易于编程的五个基本功能  
With 5 programmable functions  
计数器、转速表、定时器、移位计数器和批量计数器  
counter, tachometer, timer, replacement counter and batch counter
6. 工作电压:DC:12-24V AC: 24V 115V 230V  
Working voltage:DC:12-24V AC: 24V 115V 230V



## 电子计时器

The Electronic Timer



**H3J液晶计时器**  
H3J LCD timer



### 特点

characteristic

1. 六位LCD液晶显示  
6 LCD display
2. 抗干扰性强  
Strong anti-interference
3. 计时范围 0-9999时59分  
Timing range: 0-9999h59m
4. 数据存储可达7年  
Data storing time can reach 7 years
5. 面板复位带锁定  
Panel reset with locking



**C308液晶计时器**  
C308 LCD Timer



### 特点

characteristic

1. 八位LCD液晶显示  
8- digit LCD display
2. 抗干扰性强  
Strong anti-interference
3. 计时范围 99时59分59秒 或99999小时59分  
Timing range: 99h59m59s 或99999h99m
4. 显示方式可调  
Display mode: 00-00-00 or 00000.00
5. 内置电池供电  
Built-in power, convenient to use
6. 数据存储可达10年  
Data storing time can reach 10 years



## 多功能计数器

Multi-function counter



**HC308液晶计数计时器**  
HC308 LCD Counter and timer



### 特点

characteristic

1. 八位液晶数码显示  
8-digit LCD digital display
2. 计数计时功能于一体  
Counting and timing
3. 计数范围: 0-99999999  
Counting range: 0-99999999
4. 计时范围: 0-99999.99  
Timing range: 0-99999.99
5. 抗干扰性强  
Strong anti-interference
6. 内置电池, 使用方便  
Built-in battery and convenient to use



**BH6型智能电源保护器**

BH6 Intellectual Power Protector



**特点**

characteristics

1. 液晶显示  
LCD display
2. 六位数字显示  
6-digit display
3. 抗干扰性强  
Strong anti-interference
4. 功能多样化  
Multiple functions  
电压显示 过欠压保护 缺相保护  
相序保护 计时和计次 故障记录
5. 可以广泛应用于各种低压电器控制系统  
Can be widely applied in various high/low voltage controlling system

**TEJ214N智能双数显计数器**

TEJ214N Intelligent double display counter



**特点**

characteristics

1. LED数字显示  
LED display
2. 抗干扰性强  
Strong anti-interference
3. 四位或八位计数  
4 or 8-digit display
4. 多功能可选  
Multi-function to select  
时间继电器、累时器、计数器、转速表、频率计

**主要产品型号**



TEJ214N



TEJ214N-1



TEJ214N-A

**TTM226N智能测速表**

TTM226N Intelligent speed measurement



**特点**

characteristics

1. 六位LED显示  
6-digit LEDdisplay
2. 抗干扰能力强  
Strong anti-interference
3. 可测量转速和线速  
Rotate-speed or line-speed
4. 测速范围: -99999~999999  
The speed range: -99999~999999
5. 工作电压: AC/DC 100V~250V  
Working voltage: AC/DC 100V~250V



## 增量型旋转编码器

Incremental Rotary Encoder

增量型旋转编码器是集光、机、电技术于一体的转速、位移传感器，具有体积小、互换性好、抗干扰性强等特点，主要应用于机械控制、自动测量等自动化领域。

The incremental rotary encoder is a sensor of rotating speed and displacement. It integrates the technology of optics, mechanics, and electronics. It has small volume, good exchanging property, and excellent anti-jamming performance. It is mainly applied to mechanical auto control auto measuring, etc.

型号 (Mode): R141型



分辨率 (Resolution) 5-2000 p/t  
 工作电压 (Voltage) 5VDC 10-30VDC  
 外径 (Outside diameter) 40mm  
 轴径 (Trunnion) 6mm  
 输出方式 (Output Mode) 推挽式输出 驱动器输出

型号 (Mode): R158型



分辨率 (Resolution) 5-5000 p/t  
 工作电压 (Voltage) 5VDC 10-30VDC  
 外径 (Outside diameter) 58mm  
 轴径 (Trunnion) 6mm 8mm  
 输出方式 (Output Mode) 推挽式输出 驱动器输出

型号 (Mode): IC系列



分辨率 (Resolution) 10-2000 p/t  
 工作电压 (Voltage) 5VDC 5-12VDC 12-24VDC  
 外径 (Outside diameter) 40mm  
 轴径 (Trunnion) 6mm  
 输出方式 (Output Mode) 电压输出 集电极开路输出  
 推挽式输出 驱动器输出

型号 (Mode): ID系列



分辨率 (Resolution) 10-2000 p/t  
 工作电压 (Voltage) 5VDC 5-12VDC 12-24VDC  
 外径 (Outside diameter) 50mm  
 轴径 (Trunnion) 6mm  
 输出方式 (Output Mode) 电压输出 集电极开路输出  
 推挽式输出 驱动器输出

## 接近开关

Promixity switches

型号 (Mode) : KJGY系列



类别 (Category)	单向 双向
工作电压 (Voltage)	12-24VDC
作用距离 (Effective range)	2mm 4mm 8mm
外径 (Outside diameter)	12mm 18mm
输出方式 (Output Mode)	PNP NPN

## 联轴器

Coupling



各种规格型号可选  
Various types can be chosen

## 企业证书





# 服务客户



海纳百川 泰和久远



 **Hitech 青岛海泰**

**QINGDAO HITECH**



青岛海泰自动化仪表有限公司

Qingdao Hitech Automation Instrument Co.,Ltd

地址：山东青岛崂山区株洲路190号

电话：0532-88706069 84873666 84877288

传真：0532-84891445

邮编：266101

网址：[www.qd-hitech.com](http://www.qd-hitech.com)

信箱：[hitech@hitechqd.com](mailto:hitech@hitechqd.com)



(原国营青岛计数器厂)



青岛海泰自动化仪表有限公司

Qingdao Hitech Automation Instrument Co.,Ltd



**SINCE**

**1966**

- ◎ **计数器专业制造商**
- ◎ **The professional manufacturer of counter**
- ◎ **中国计数器行业的领军者**
- ◎ **The leading company of China's counter industry**
- ◎ **中国计数器行业标准制定者之一**
- ◎ **The one of the constitutors of China's counter standards**

[www.qd-hitech.com](http://www.qd-hitech.com)/[www.青岛海泰.com](http://www.青岛海泰.com)

# C 公司简介 ompany Introduction »



青岛海泰自动化仪表有限公司座落于美丽的滨海城市-青岛，是一家集计数器、计时器等自动化仪表的研发、生产、销售、服务为一体的高新技术公司。前身为原国营青岛计数器厂，经过近半个世纪的发展，青岛海泰已经逐步发展成为中国计数器行业的领军者，形成了以“青计牌”为知名商标的产业链。目前公司主要产品有：电子类、电磁类、机械类计数器和计时器，编码器、传感器、智能测量仪表等系列产品。



青岛海泰始终遵循“坚持科技进步，追求创新发展”的发展战略，秉承“强大主业、适度多元、以人为本、市场为先”的经营宗旨，致力于海泰自动化仪器仪表事业的发展。公司首批通过了ISO9001质量管理体系认证，计数（时）器系列产品并通过了UL、CE和RoHS认证。荣获青岛市现代企业制度试点企业、“十大”高新技术企业、“守合同重信用”企业等荣誉称号。

目前，公司客户已遍及全国30多个省、市、自治区，产品大量出口欧洲、美洲、东南亚、中东等国际市场，与世界知名企业建立了长期合作伙伴关系。

“海纳百川、泰和久远”，青岛海泰将以雄厚的实力、优质的产品、一流的服务与国内外客户携手合作，共创美好明天。

Qingdao Hitech Automation Instrument Co., Ltd, located in the well-know costal city Qingdao, is a high-tech enterprise, specilizing in developing, producing, marketing counters and timers. Its predecessor was State-owned Qingdao Counter Factory. Throughout the development of half a century, our company has become the top manufacturer in the Chinese counter indstry. Our brand "Qingji" is well-know in China. Our products currently mainly include electronic, electromechanical, mechanical counters&timers, encoders, sensors, and auto measuring meters, ect.

Our company follows the strategy of "depending on progress of technology, seeking innovation" to make great development. Our company has gained good reputation during those past years. Our products got the certificate of UL, CE and RoHS.

We now have large market shares in 30 provinces in domestic market. Our products are also marketed to overseas market like Europe, America, Southeast Asia, Middle East, etc. We have established long-term cooperative relations with many famous international companies.

Qingdao Hitech Automation Instrument Co., Ltd will provide customers quality products and service to our clients. And would like to jiont hands with you to create the much better tomorrow together.

海 纳 百 川      泰 和 久 远